

## **MICRO PROCESSING CONTROL** **(Suitable for Sub Boiling Unit)**



Product Code	Output Capacity
ESMPC200	200ml
ESMPC500	500ml
ESMPC1000	1000ml

## **ELECTRONIC DUAL CUT-OFF SYSTEM.**

Model No:	Item:	Descriptions:
EDCS-1	Electronic Dual Cut-Off system	Upto 2.5 Ltrs/Hr
EDCS-2	Electronic Dual Cut-Off system	Above 2.5 liters/hr
Model No:	Item:	Descriptions:
EONO-1	Mono Cut-Off system	To Suit all models of single distillation

## **WATER STILL & ACCESSORIES**

### **DM PLANT**

**\*For input TDS less than 200**

Model No.	Min Flow Rate Ltrs/Hr	Max. Flow Rate Ltrs/Hr	Output between Regeneration (Lts.)*	Min. Pressure Kg/cm2
AQUA-DM10 BASIC	10	100	600*	0.5
AQUA-DM10 XL	10	100	600*	0.5
AQUA-DM20 XL	20	200	2000*	1.5
AQUA-DM60 XL	60	600	3500*	2.0

### **WATER CIRCULATOR/CHILLER**

SI No.	Model No.	Descriptions:
1	W.CIRCULATOR-2.0	For single distillation from 3 -5liters
2	4 W.CIRCULATOR-4.0	For double distillation from 2.5 -4liters


#### **PRE-FILTERS**

SI No.	Model No.	Descriptions:
1	PRE-FILTER -1	10 Inch filter & housing
2	PRE-FILTER -2	20 Inch filter & housing

**WATER SOFTNERS**

SI No.	Model No.	Descriptions:
1	SOFTNER-1	10 Kg. Resins
2	SOFTNER-2	20 Kg. Resins

5 STAGE RO	SYSTEMS	
SI No.	Model No.	Descriptions:
1	RO-10	10 Liters capacity



# ELS Instruments

**Call Us****+91 94488 27690****Reach Us at****enquiry@elsinstruments.com**